

Case	Age	Performance status	Serious kidney dysfunction	Serious liver dysfunction	Prior therapy	pT	pN	pM
Case 001	60	0	No	No	Surgery	pT1	pN0	pM0
Case 002	60	0	No	No	Surgery	pT1	pN0	pM0
Case 003	60	0	No	No	Surgery	pT1	pN0	pM0
Case 004	60	0	No	No	Surgery	pT1	pN0	pM0
Case 005	60	0	No	No	Surgery	pT2	pN0	pM0
Case 006	60	0	No	No	Surgery	pT2	pN0	pM0
Case 007	60	0	No	No	Surgery	pT2	pN0	pM0
Case 008	60	0	No	No	Surgery	pT2	pN0	pM0
Case 009	60	0	No	No	Surgery	pT3	pN0	pM0
Case 010	60	0	No	No	Surgery	pT3	pN0	pM0
Case 011	45	0	No	No	Surgery	pT3	pN0	pM0
Case 012	60	0	No	No	Surgery	pT3	pN0	pM0
Case 013	75	0	No	No	Surgery	pT3	pN0	pM0
Case 014	45	0	No	No	Surgery	pT3	pN0	pM0
Case 015	60	0	No	No	Surgery	pT3	pN0	pM0
Case 016	75	0	No	No	Surgery	pT3	pN0	pM0
Case 017	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 018	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 019	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 020	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 021	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 022	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 023	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 024	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 025	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 026	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 027	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 028	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 029	45	0	No	No	Surgery	pT3	pN0	pM0
Case 030	60	0	No	No	Surgery	pT3	pN0	pM0
Case 031	75	0	No	No	Surgery	pT3	pN0	pM0
Case 032	45	0	No	No	Surgery	pT3	pN0	pM0
Case 033	60	0	No	No	Surgery	pT3	pN0	pM0
Case 034	75	0	No	No	Surgery	pT3	pN0	pM0
Case 035	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 036	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 037	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 038	60	0	No	Yes	Surgery	pT3	pN0	pM0

Case	Age	Performance status	Serious kidney dysfunction	Serious liver dysfunction	Prior therapy	pT	pN	pM
Case 039	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 040	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 041	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 042	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 043	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 044	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 045	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 046	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 047	45	0	No	No	Surgery	pT3	pN0	pM0
Case 048	60	0	No	No	Surgery	pT3	pN0	pM0
Case 049	75	0	No	No	Surgery	pT3	pN0	pM0
Case 050	45	0	No	No	Surgery	pT3	pN0	pM0
Case 051	60	0	No	No	Surgery	pT3	pN0	pM0
Case 052	75	0	No	No	Surgery	pT3	pN0	pM0
Case 053	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 054	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 055	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 056	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 057	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 058	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 059	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 060	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 061	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 062	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 063	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 064	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 065	45	0	No	No	Surgery	pT3	pN0	pM0
Case 066	60	0	No	No	Surgery	pT3	pN0	pM0
Case 067	75	0	No	No	Surgery	pT3	pN0	pM0
Case 068	45	0	No	No	Surgery	pT3	pN0	pM0
Case 069	60	0	No	No	Surgery	pT3	pN0	pM0
Case 070	75	0	No	No	Surgery	pT3	pN0	pM0
Case 071	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 072	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 073	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 074	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 075	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 076	75	0	No	Yes	Surgery	pT3	pN0	pM0

Case	Age	Performance status	Serious kidney dysfunction	Serious liver dysfunction	Prior therapy	pT	pN	pM
Case 077	45	0	Yes	No	Surgery	pT3	pN0	pM0
Case 078	45	0	No	Yes	Surgery	pT3	pN0	pM0
Case 079	60	0	Yes	No	Surgery	pT3	pN0	pM0
Case 080	60	0	No	Yes	Surgery	pT3	pN0	pM0
Case 081	75	0	Yes	No	Surgery	pT3	pN0	pM0
Case 082	75	0	No	Yes	Surgery	pT3	pN0	pM0
Case 083	45	0	No	No	Surgery	pT4	pN0	pM0
Case 084	60	0	No	No	Surgery	pT4	pN0	pM0
Case 085	75	0	No	No	Surgery	pT4	pN0	pM0
Case 086	45	0	No	No	Surgery	pT4	pN0	pM0
Case 087	60	0	No	No	Surgery	pT4	pN0	pM0
Case 088	75	0	No	No	Surgery	pT4	pN0	pM0
Case 089	45	0	Yes	No	Surgery	pT4	pN0	pM0
Case 090	45	0	No	Yes	Surgery	pT4	pN0	pM0
Case 091	60	0	Yes	No	Surgery	pT4	pN0	pM0
Case 092	60	0	No	Yes	Surgery	pT4	pN0	pM0
Case 093	75	0	Yes	No	Surgery	pT4	pN0	pM0
Case 094	75	0	No	Yes	Surgery	pT4	pN0	pM0
Case 095	45	0	Yes	No	Surgery	pT4	pN0	pM0
Case 096	45	0	No	Yes	Surgery	pT4	pN0	pM0
Case 097	60	0	Yes	No	Surgery	pT4	pN0	pM0
Case 098	60	0	No	Yes	Surgery	pT4	pN0	pM0
Case 099	75	0	Yes	No	Surgery	pT4	pN0	pM0
Case 100	75	0	No	Yes	Surgery	pT4	pN0	pM0
Case 101	45	0	No	No	Surgery	pT4	pN0	pM0
Case 102	60	0	No	No	Surgery	pT4	pN0	pM0
Case 103	75	0	No	No	Surgery	pT4	pN0	pM0
Case 104	45	0	No	No	Surgery	pT4	pN0	pM0
Case 105	60	0	No	No	Surgery	pT4	pN0	pM0
Case 106	75	0	No	No	Surgery	pT4	pN0	pM0
Case 107	45	0	Yes	No	Surgery	pT4	pN0	pM0
Case 108	45	0	No	Yes	Surgery	pT4	pN0	pM0
Case 109	60	0	Yes	No	Surgery	pT4	pN0	pM0
Case 110	60	0	No	Yes	Surgery	pT4	pN0	pM0
Case 111	75	0	Yes	No	Surgery	pT4	pN0	pM0
Case 112	75	0	No	Yes	Surgery	pT4	pN0	pM0
Case 113	45	0	Yes	No	Surgery	pT4	pN0	pM0
Case 114	45	0	No	Yes	Surgery	pT4	pN0	pM0

Case	Age	Performance status	Serious kidney dysfunction	Serious liver dysfunction	Prior therapy	pT	pN	pM
Case 115	60	0	Yes	No	Surgery	pT4	pN0	pM0
Case 116	60	0	No	Yes	Surgery	pT4	pN0	pM0
Case 117	75	0	Yes	No	Surgery	pT4	pN0	pM0
Case 118	75	0	No	Yes	Surgery	pT4	pN0	pM0
Case 119	45	0	No	No	Surgery	pT1	pN1	pM0
Case 120	60	0	No	No	Surgery	pT1	pN1	pM0
Case 121	75	0	No	No	Surgery	pT1	pN1	pM0
Case 122	45	0	No	No	Surgery	pT1	pN1	pM0
Case 123	60	0	No	No	Surgery	pT1	pN1	pM0
Case 124	75	0	No	No	Surgery	pT1	pN1	pM0
Case 125	45	0	Yes	No	Surgery	pT1	pN1	pM0
Case 126	45	0	No	Yes	Surgery	pT1	pN1	pM0
Case 127	60	0	Yes	No	Surgery	pT1	pN1	pM0
Case 128	60	0	No	Yes	Surgery	pT1	pN1	pM0
Case 129	75	0	Yes	No	Surgery	pT1	pN1	pM0
Case 130	75	0	No	Yes	Surgery	pT1	pN1	pM0
Case 131	45	0	Yes	No	Surgery	pT1	pN1	pM0
Case 132	45	0	No	Yes	Surgery	pT1	pN1	pM0
Case 133	60	0	Yes	No	Surgery	pT1	pN1	pM0
Case 134	60	0	No	Yes	Surgery	pT1	pN1	pM0
Case 135	75	0	Yes	No	Surgery	pT1	pN1	pM0
Case 136	75	0	No	Yes	Surgery	pT1	pN1	pM0
Case 137	45	0	No	No	Surgery	pT2	pN1	pM0
Case 138	60	0	No	No	Surgery	pT2	pN1	pM0
Case 139	75	0	No	No	Surgery	pT2	pN1	pM0
Case 140	45	0	No	No	Surgery	pT2	pN1	pM0
Case 141	60	0	No	No	Surgery	pT2	pN1	pM0
Case 142	75	0	No	No	Surgery	pT2	pN1	pM0
Case 143	45	0	Yes	No	Surgery	pT2	pN1	pM0
Case 144	45	0	No	Yes	Surgery	pT2	pN1	pM0
Case 145	60	0	Yes	No	Surgery	pT2	pN1	pM0
Case 146	60	0	No	Yes	Surgery	pT2	pN1	pM0
Case 147	75	0	Yes	No	Surgery	pT2	pN1	pM0
Case 148	75	0	No	Yes	Surgery	pT2	pN1	pM0
Case 149	45	0	Yes	No	Surgery	pT2	pN1	pM0
Case 150	45	0	No	Yes	Surgery	pT2	pN1	pM0
Case 151	60	0	Yes	No	Surgery	pT2	pN1	pM0
Case 152	60	0	No	Yes	Surgery	pT2	pN1	pM0

Case	Age	Performance status	Serious kidney dysfunction	Serious liver dysfunction	Prior therapy	pT	pN	pM
Case 153	75	0	Yes	No	Surgery	pT2	pN1	pM0
Case 154	75	0	No	Yes	Surgery	pT2	pN1	pM0
Case 155	45	0	No	No	Surgery	pT3	pN1	pM0
Case 156	60	0	No	No	Surgery	pT3	pN1	pM0
Case 157	75	0	No	No	Surgery	pT3	pN1	pM0
Case 158	45	0	No	No	Surgery	pT3	pN1	pM0
Case 159	60	0	No	No	Surgery	pT3	pN1	pM0
Case 160	75	0	No	No	Surgery	pT3	pN1	pM0
Case 161	45	0	Yes	No	Surgery	pT3	pN1	pM0
Case 162	45	0	No	Yes	Surgery	pT3	pN1	pM0
Case 163	60	0	Yes	No	Surgery	pT3	pN1	pM0
Case 164	60	0	No	Yes	Surgery	pT3	pN1	pM0
Case 165	75	0	Yes	No	Surgery	pT3	pN1	pM0
Case 166	75	0	No	Yes	Surgery	pT3	pN1	pM0
Case 167	45	0	Yes	No	Surgery	pT3	pN1	pM0
Case 168	45	0	No	Yes	Surgery	pT3	pN1	pM0
Case 169	60	0	Yes	No	Surgery	pT3	pN1	pM0
Case 170	60	0	No	Yes	Surgery	pT3	pN1	pM0
Case 171	75	0	Yes	No	Surgery	pT3	pN1	pM0
Case 172	75	0	No	Yes	Surgery	pT3	pN1	pM0
Case 173	45	0	No	No	Surgery	pT4	pN1	pM0
Case 174	60	0	No	No	Surgery	pT4	pN1	pM0
Case 175	75	0	No	No	Surgery	pT4	pN1	pM0
Case 176	45	0	No	No	Surgery	pT4	pN1	pM0
Case 177	60	0	No	No	Surgery	pT4	pN1	pM0
Case 178	75	0	No	No	Surgery	pT4	pN1	pM0
Case 179	45	0	Yes	No	Surgery	pT4	pN1	pM0
Case 180	45	0	No	Yes	Surgery	pT4	pN1	pM0
Case 181	60	0	Yes	No	Surgery	pT4	pN1	pM0
Case 182	60	0	No	Yes	Surgery	pT4	pN1	pM0
Case 183	75	0	Yes	No	Surgery	pT4	pN1	pM0
Case 184	75	0	No	Yes	Surgery	pT4	pN1	pM0
Case 185	45	0	Yes	No	Surgery	pT4	pN1	pM0
Case 186	45	0	No	Yes	Surgery	pT4	pN1	pM0
Case 187	60	0	Yes	No	Surgery	pT4	pN1	pM0
Case 188	60	0	No	Yes	Surgery	pT4	pN1	pM0
Case 189	75	0	Yes	No	Surgery	pT4	pN1	pM0
Case 190	75	0	No	Yes	Surgery	pT4	pN1	pM0

Case	Margins	Tumor grade	Lymphovascular invasion	< 12 LN examined	Localized perforation	Clinical bowel obstruction	Perineural invasion	MSI
Case 001	Negative	low	No	No	No	No	No	low/stable
Case 002	Negative	high	No	No	No	No	No	low/stable
Case 003	Negative	low	No	Yes	No	No	No	low/stable
Case 004	Negative	low	Yes	No	No	No	No	low/stable
Case 005	Negative	low	No	No	No	No	No	low/stable
Case 006	Negative	high	No	No	No	No	No	low/stable
Case 007	Negative	low	No	Yes	No	No	No	low/stable
Case 008	Negative	low	Yes	No	No	No	No	low/stable
Case 009	Negative	low	No	No	No	No	No	low/stable
Case 010	Negative	intermediate	No	No	No	No	No	low/stable
Case 011	Negative	low	No	No	No	Yes	No	low/stable
Case 012	Negative	low	No	No	No	Yes	No	low/stable
Case 013	Negative	low	No	No	No	Yes	No	low/stable
Case 014	Negative	low	No	No	No	Yes	No	high
Case 015	Negative	low	No	No	No	Yes	No	high
Case 016	Negative	low	No	No	No	Yes	No	high
Case 017	Negative	low	No	No	No	Yes	No	low/stable
Case 018	Negative	low	No	No	No	Yes	No	low/stable
Case 019	Negative	low	No	No	No	Yes	No	low/stable
Case 020	Negative	low	No	No	No	Yes	No	low/stable
Case 021	Negative	low	No	No	No	Yes	No	low/stable
Case 022	Negative	low	No	No	No	Yes	No	low/stable
Case 023	Negative	low	No	No	No	Yes	No	high
Case 024	Negative	low	No	No	No	Yes	No	high
Case 025	Negative	low	No	No	No	Yes	No	high
Case 026	Negative	low	No	No	No	Yes	No	high
Case 027	Negative	low	No	No	No	Yes	No	high
Case 028	Negative	low	No	No	No	Yes	No	high
Case 029	Negative	high	No	No	No	No	No	low/stable
Case 030	Negative	high	No	No	No	No	No	low/stable
Case 031	Negative	high	No	No	No	No	No	low/stable
Case 032	Negative	high	No	No	No	No	No	high
Case 033	Negative	high	No	No	No	No	No	high
Case 034	Negative	high	No	No	No	No	No	high
Case 035	Negative	high	No	No	No	No	No	low/stable
Case 036	Negative	high	No	No	No	No	No	low/stable
Case 037	Negative	high	No	No	No	No	No	low/stable
Case 038	Negative	high	No	No	No	No	No	low/stable

Case	Margins	Tumor grade	Lymphovascular invasion	< 12 LN examined	Localized perforation	Clinical bowel obstruction	Perineural invasion	MSI
Case 039	Negative	high	No	No	No	No	No	low/stable
Case 040	Negative	high	No	No	No	No	No	low/stable
Case 041	Negative	high	No	No	No	No	No	high
Case 042	Negative	high	No	No	No	No	No	high
Case 043	Negative	high	No	No	No	No	No	high
Case 044	Negative	high	No	No	No	No	No	high
Case 045	Negative	high	No	No	No	No	No	high
Case 046	Negative	high	No	No	No	No	No	high
Case 047	Negative	low	No	Yes	No	No	No	low/stable
Case 048	Negative	low	No	Yes	No	No	No	low/stable
Case 049	Negative	low	No	Yes	No	No	No	low/stable
Case 050	Negative	low	No	Yes	No	No	No	high
Case 051	Negative	low	No	Yes	No	No	No	high
Case 052	Negative	low	No	Yes	No	No	No	high
Case 053	Negative	low	No	Yes	No	No	No	low/stable
Case 054	Negative	low	No	Yes	No	No	No	low/stable
Case 055	Negative	low	No	Yes	No	No	No	low/stable
Case 056	Negative	low	No	Yes	No	No	No	low/stable
Case 057	Negative	low	No	Yes	No	No	No	low/stable
Case 058	Negative	low	No	Yes	No	No	No	low/stable
Case 059	Negative	low	No	Yes	No	No	No	high
Case 060	Negative	low	No	Yes	No	No	No	high
Case 061	Negative	low	No	Yes	No	No	No	high
Case 062	Negative	low	No	Yes	No	No	No	high
Case 063	Negative	low	No	Yes	No	No	No	high
Case 064	Negative	low	No	Yes	No	No	No	high
Case 065	Negative	low	Yes	No	No	No	No	low/stable
Case 066	Negative	low	Yes	No	No	No	No	low/stable
Case 067	Negative	low	Yes	No	No	No	No	low/stable
Case 068	Negative	low	Yes	No	No	No	No	high
Case 069	Negative	low	Yes	No	No	No	No	high
Case 070	Negative	low	Yes	No	No	No	No	high
Case 071	Negative	low	Yes	No	No	No	No	low/stable
Case 072	Negative	low	Yes	No	No	No	No	low/stable
Case 073	Negative	low	Yes	No	No	No	No	low/stable
Case 074	Negative	low	Yes	No	No	No	No	low/stable
Case 075	Negative	low	Yes	No	No	No	No	low/stable
Case 076	Negative	low	Yes	No	No	No	No	low/stable

Case	Margins	Tumor grade	Lymphovascular invasion	< 12 LN examined	Localized perforation	Clinical bowel obstruction	Perineural invasion	MSI
Case 077	Negative	low	Yes	No	No	No	No	high
Case 078	Negative	low	Yes	No	No	No	No	high
Case 079	Negative	low	Yes	No	No	No	No	high
Case 080	Negative	low	Yes	No	No	No	No	high
Case 081	Negative	low	Yes	No	No	No	No	high
Case 082	Negative	low	Yes	No	No	No	No	high
Case 083	Negative	low	No	No	No	No	No	low/stable
Case 084	Negative	low	No	No	No	No	No	low/stable
Case 085	Negative	low	No	No	No	No	No	low/stable
Case 086	Negative	low	No	No	No	No	No	high
Case 087	Negative	low	No	No	No	No	No	high
Case 088	Negative	low	No	No	No	No	No	high
Case 089	Negative	low	No	No	No	No	No	low/stable
Case 090	Negative	low	No	No	No	No	No	low/stable
Case 091	Negative	low	No	No	No	No	No	low/stable
Case 092	Negative	low	No	No	No	No	No	low/stable
Case 093	Negative	low	No	No	No	No	No	low/stable
Case 094	Negative	low	No	No	No	No	No	low/stable
Case 095	Negative	low	No	No	No	No	No	high
Case 096	Negative	low	No	No	No	No	No	high
Case 097	Negative	low	No	No	No	No	No	high
Case 098	Negative	low	No	No	No	No	No	high
Case 099	Negative	low	No	No	No	No	No	high
Case 100	Negative	low	No	No	No	No	No	high
Case 101	Negative	low	No	No	Yes	No	No	low/stable
Case 102	Negative	low	No	No	Yes	No	No	low/stable
Case 103	Negative	low	No	No	Yes	No	No	low/stable
Case 104	Negative	low	No	No	Yes	No	No	high
Case 105	Negative	low	No	No	Yes	No	No	high
Case 106	Negative	low	No	No	Yes	No	No	high
Case 107	Negative	low	No	No	Yes	No	No	low/stable
Case 108	Negative	low	No	No	Yes	No	No	low/stable
Case 109	Negative	low	No	No	Yes	No	No	low/stable
Case 110	Negative	low	No	No	Yes	No	No	low/stable
Case 111	Negative	low	No	No	Yes	No	No	low/stable
Case 112	Negative	low	No	No	Yes	No	No	low/stable
Case 113	Negative	low	No	No	Yes	No	No	high
Case 114	Negative	low	No	No	Yes	No	No	high

Case	Margins	Tumor grade	Lymphovascular invasion	< 12 LN examined	Localized perforation	Clinical bowel obstruction	Perineural invasion	MSI
Case 115	Negative	low	No	No	Yes	No	No	high
Case 116	Negative	low	No	No	Yes	No	No	high
Case 117	Negative	low	No	No	Yes	No	No	high
Case 118	Negative	low	No	No	Yes	No	No	high
Case 119	Negative	low	No	No	No	No	No	low/stable
Case 120	Negative	low	No	No	No	No	No	low/stable
Case 121	Negative	low	No	No	No	No	No	low/stable
Case 122	Negative	low	No	No	No	No	No	high
Case 123	Negative	low	No	No	No	No	No	high
Case 124	Negative	low	No	No	No	No	No	high
Case 125	Negative	low	No	No	No	No	No	low/stable
Case 126	Negative	low	No	No	No	No	No	low/stable
Case 127	Negative	low	No	No	No	No	No	low/stable
Case 128	Negative	low	No	No	No	No	No	low/stable
Case 129	Negative	low	No	No	No	No	No	low/stable
Case 130	Negative	low	No	No	No	No	No	low/stable
Case 131	Negative	low	No	No	No	No	No	high
Case 132	Negative	low	No	No	No	No	No	high
Case 133	Negative	low	No	No	No	No	No	high
Case 134	Negative	low	No	No	No	No	No	high
Case 135	Negative	low	No	No	No	No	No	high
Case 136	Negative	low	No	No	No	No	No	high
Case 137	Negative	low	No	No	No	No	No	low/stable
Case 138	Negative	low	No	No	No	No	No	low/stable
Case 139	Negative	low	No	No	No	No	No	low/stable
Case 140	Negative	low	No	No	No	No	No	high
Case 141	Negative	low	No	No	No	No	No	high
Case 142	Negative	low	No	No	No	No	No	high
Case 143	Negative	low	No	No	No	No	No	low/stable
Case 144	Negative	low	No	No	No	No	No	low/stable
Case 145	Negative	low	No	No	No	No	No	low/stable
Case 146	Negative	low	No	No	No	No	No	low/stable
Case 147	Negative	low	No	No	No	No	No	low/stable
Case 148	Negative	low	No	No	No	No	No	low/stable
Case 149	Negative	low	No	No	No	No	No	high
Case 150	Negative	low	No	No	No	No	No	high
Case 151	Negative	low	No	No	No	No	No	high
Case 152	Negative	low	No	No	No	No	No	high

Case	Margins	Tumor grade	Lymphovascular invasion	< 12 LN examined	Localized perforation	Clinical bowel obstruction	Perineural invasion	MSI
Case 153	Negative	low	No	No	No	No	No	high
Case 154	Negative	low	No	No	No	No	No	high
Case 155	Negative	low	No	No	No	No	No	low/stable
Case 156	Negative	low	No	No	No	No	No	low/stable
Case 157	Negative	low	No	No	No	No	No	low/stable
Case 158	Negative	low	No	No	No	No	No	high
Case 159	Negative	low	No	No	No	No	No	high
Case 160	Negative	low	No	No	No	No	No	high
Case 161	Negative	low	No	No	No	No	No	low/stable
Case 162	Negative	low	No	No	No	No	No	low/stable
Case 163	Negative	low	No	No	No	No	No	low/stable
Case 164	Negative	low	No	No	No	No	No	low/stable
Case 165	Negative	low	No	No	No	No	No	low/stable
Case 166	Negative	low	No	No	No	No	No	low/stable
Case 167	Negative	low	No	No	No	No	No	high
Case 168	Negative	low	No	No	No	No	No	high
Case 169	Negative	low	No	No	No	No	No	high
Case 170	Negative	low	No	No	No	No	No	high
Case 171	Negative	low	No	No	No	No	No	high
Case 172	Negative	low	No	No	No	No	No	high
Case 173	Negative	low	No	No	No	No	No	low/stable
Case 174	Negative	low	No	No	No	No	No	low/stable
Case 175	Negative	low	No	No	No	No	No	low/stable
Case 176	Negative	low	No	No	No	No	No	high
Case 177	Negative	low	No	No	No	No	No	high
Case 178	Negative	low	No	No	No	No	No	high
Case 179	Negative	low	No	No	No	No	No	low/stable
Case 180	Negative	low	No	No	No	No	No	low/stable
Case 181	Negative	low	No	No	No	No	No	low/stable
Case 182	Negative	low	No	No	No	No	No	low/stable
Case 183	Negative	low	No	No	No	No	No	low/stable
Case 184	Negative	low	No	No	No	No	No	low/stable
Case 185	Negative	low	No	No	No	No	No	high
Case 186	Negative	low	No	No	No	No	No	high
Case 187	Negative	low	No	No	No	No	No	high
Case 188	Negative	low	No	No	No	No	No	high
Case 189	Negative	low	No	No	No	No	No	high
Case 190	Negative	low	No	No	No	No	No	high